



Catalogue 2006 Hand Tools



Verbindungen mit **System**
The **Power** of Partnership



Pliers VDE..... 8

Pliers Standard 12

Electronic/Precision mechanic tools 16

Screwdriver VDE 18

Screwdriver Standard..... 21

Bits, Holder and Adapter 24

Assortments and Sets 27

Measure and Marking 33

Basic tools 36

Safety tools 40

Dismantle and Stripping..... 44

Tool case 48



Pliers VDE / Pliers Standard



Non-slip overlay due to matched elastomers



Space Field for type designation, standardization



Recessed Signature Panel



GS - tested for safety



KLAUKE VDE TOOLS

Each Klauke VDE tool is produced and tested as per the newest guidelines of the Safety testing methods according to EN/IEC 60900 (VDE 0682 part 201):


- Visual check and check of measurements
- Check of resistance under hot and cold conditions
- Check of the adhesive power of the insulation
- Check of fire risk
- Pressure check - check of puncture
- Single voltage check in a water bath



Space Field for type designation, standardization




Recessed Signature Panel



2-components technic with soft grip



Impact protection by safety cushion



KLAUKE PLIERS

- Innovative and safety
- Functionality and Performance
- Optimal ergonomic grips
- User-friendly
- Excellent Quality "Made in Germany"




Screwdriver VDE / Screwdriver Standard



1000V
IEC 60900


GS - tested for safety



Hanging hole for easy storage or inserting lever




Anti-Roll handle design






Pleasant soft grip
outer material and
ergonomically refined
design for highest torque
and best comfort




Blades made from high-grade
Chrome-Molybdenum-
Vanadium, hardened for
longevity (exceeding DIN / ISO
requirements by up to 100%)





Smooth, seamless
handle top for
minimum friction; full
length impact proof
handle core



Black tip for
precision fit




EAN barcode on
each tool





Cable cutter



Product features

- for NYM and NYY cable
- fully insulated
- suitable for Cu and aluminium cable
- opening up to 16 mm

Dimension mm	Part No.	Gram/pcs	Sales unit
160	KL010160IS	225	6

Cable cutter



Product features

- for NYM and NYY cable
- fully insulated
- suitable for Cu and aluminium cable
- opening up to 25 mm

Dimension mm	Part No.	Gram/pcs	Sales unit
210	KL010210IS	340	6

Combination pliers



Product features

- DIN ISO 5746
- Induction hardened cutting edge
- for hard and soft wire

Dimension mm	Part No.	Gram/pcs	Sales unit
165	KL020165IS	200	6
180	KL020180IS	255	6
205	KL020205IS	280	6

Side cutter



Product features

- DIN ISO 5749
- new wave profile for lower handle force
- high cutting force, hard and soft wire

Dimension mm	Part No.	Gram/pcs	Sales unit
145	KL040145IS	160	6
160	KL040160IS	220	6
180	KL040180IS	255	6

Side cutter



Product features

- with additional cable stripping holes for 1.5mm² and 2.5mm²

Dimension mm	Part No.	Gram/pcs	Sales unit
190	KL042190IS	240	6

Power side cutter




Product features

- ergonomic design for improved cutting force
- long cutting edges
- 18° angled cutting head

Dimension mm	Part No.	Gram/pcs	Sales unit
200	KL044200IS	280	6

Power side cutter



Product features

- DIN ISO 5749
- new wave profile for lower handle force
- high cutting force for hard and soft wire

Dimension mm	Part No.	Gram/pcs	Sales unit
180	KL045180IS	285	6
200	KL045200IS	310	6
240	KL045240IS	420	6

Telephone pliers



Product features

- DIN ISO 5745
- with wire cutter
- straight, flat-round jaws

Dimension mm	Part No.	Gram/pcs	Sales unit
205	KL050205IS	215	6

Telephone pliers, curved




Product features

- DIN ISO 5745
- with wire cutter
- 45° angled, flat-round jaws

Dimension mm	Part No.	Gram/pcs	Sales unit
205	KL055205IS	215	6

Wire stripper



Product features

- with opening spring and v-shaped cutting edges
- with adjustment screw

Dimension mm	Wire cross section mm ²	Part No.	Gram/pcs	Sales unit
160	10	KL060160IS	185	6

Waterpump pliers



Product features

- DIN ISO 8976
- ratchet adjustment
- extended safety link
- width 50 mm

Dimension mm	Jaw opening mm	Part No.	Gram/pcs	Sales unit
250	50	KL070250IS	385	6



Power combination pliers



Product features

- with combination ring spanner
- special designed to hold flat and round objects
- induction hardened cutting edge

Dimension mm	Part No.	Gram/pcs	Sales unit
165	KL025165	200	6
180	KL025180	260	6
205	KL025205	285	6

Combination pliers



Product features

- DIN ISO 5746
- Induction hardened cutting edge
- for soft and hard wire

Dimension mm	Part No.	Gram/pcs	Sales unit
165	KL020165	200	6
180	KL020180	260	6
205	KL020205	285	6

Long flat nose pliers



Product features

- DIN ISO 5745
- with long flat cutting jaws
- serrated jaws

Dimension mm	Part No.	Gram/pcs	Sales unit
160	KL030160	175	6

Long round nose pliers



Product features

- DIN ISO 5745
- with long round cutting jaws
- serrated jaws

Dimension mm	Part No.	Gram/pcs	Sales unit
160	KL035160	165	6

Side cutter




Product features

- DIN ISO 5749
- new wave profile for lower handle force
- high cutting force for hard and soft wire

Dimension mm	Part No.	Gram/pcs	Sales unit
145	KL040145	160	6
160	KL040160	220	6
180	KL040180	255	6

Power side cutter



Product features

- DIN ISO 5749
- new wave profile for lower handle force
- high cutting force, hard and soft wire

Dimension mm	Part No.	Gram/pcs	Sales unit
180	KL045180	280	6
200	KL045200	310	6

Long chain nose pliers



Product features

- DIN ISO 5745
- with wire cutter
- straight, flat-round jaws

Dimension mm	Part No.	Gram/pcs	Sales unit
170	KL050170	165	6
205	KL050205	215	6

Long chain nose pliers, curved



Product features

- DIN ISO 5745
- with wire cutter
- 45° angled, flat-round jaws

Dimension mm	Part No.	Gram/pcs	Sales unit
170	KL055170	165	6
205	KL055205	215	6

Wire stripper



Product features

- with opening spring and v-shaped cutting edges
- with adjustment screw

Dimension mm	Wire cross section mm ²	Part No.	Gram/pcs	Sales unit
160	10	KL060160	185	6

Waterpump pliers



Product features

- DIN ISO 8976
- ratchet adjustment
- box-joint
- integrated hand protection
- G = plastic coated grips

Dimension mm	Jaw opening mm	Part No.	Gram/pcs	Sales unit
250	50	KL070250G	355	6
250	50	KL070250	395	6

Waterpump pliers



Product features

- DIN ISO 8976
- integrated protection

Dimension mm	Jaw opening mm	Part No.	Gram/pcs	Sales unit
180	35	KL072180G	190	6
250	50	KL072250G	300	6
300	65	KL072300G	530	6
250	50	KL072250	350	6

Waterpump pliers



Product features

- DIN ISO 8976
- grooved grinding joint with safety stop
- special long jaws
- G = plastic coated grips

Dimension mm	Jaw opening mm	Part No.	Gram/pcs	Sales unit
250	45	KL075250G	390	6
250	45	KL075250	433	6

Fitting pliers



Product features

- smooth polished jaws especially for fittings
- parallel gripping jaws
- Grips plastic coated

Dimension mm	Jaw opening mm	Part No.	Gram/pcs	Sales unit
250	53	KL078250G	375	6



Electronic side cutter



Product features

- side cutter for high precision work
- double leaf spring with low friction
- Cutting edges additionally induction hardened
- KL040115EL: with cutting facet
- KL040115ELW: without cutting facet

Dimension mm	Part No.	Gram/pcs	Sales unit
115	KL040115EL	62	6
115	KL040115ELW	60	6

Short chain nose pliers



Product features

- smooth inside jaws, edges rounded
- for gripping small items and forming wire

Dimension mm	Part No.	Gram/pcs	Sales unit
115	KL050115EL	64	6

Electronic side cutter



Product features

- clearance angle 21°
- with opening spring
- Cutting edges additionally induction hardened
- KL040128EL: without wire trapping spring
- KL040128ELH: with wire trapping spring

Dimension mm	Part No.	Gram/pcs	Sales unit
128	KL040128EL	64	6
128	KL040128ELH	66	6

Electronic assortment, 7 parts



Product features

- with exchangeable blades for slotted screws 1.5 to 4.0mm
- cross slotted screws PH-000 to PH1
- cross slotted screws PZ0 to PZ1

Part No.	Gram/pcs	Sales unit
KL350	161	1





VDE Torx Screwdriver



Product features

- for torx screws

Dimensions	blade length mm	Part No.	Gram/pcs	Sales unit
Tx 10	100	KL150TX10IS	45	12
Tx 15	100	KL150TX15IS	45	12
Tx 20	100	KL150TX20IS	69	12
Tx 25	100	KL150TX25IS	69	12
Tx 30	115	KL150TX30IS	96	6



VDE Torx Screwdriver



Product features

- for slotted screws

Dimensions	blade length mm	Part No.	Gram/pcs	Sales unit
2,5 x 0,4	75	KL1007525IS	22	12
3,0 x 0,5	100	KL10010030IS	28	12
3,5 x 0,6	100	KL10010035IS	30	12
4,0 x 0,8	100	KL10010040IS	44	12
5,5 x 1,0	125	KL10012555IS	70	12
6,5 x 1,2	150	KL10015065IS	86	6
8,0 x 1,2	175	KL10017580IS	135	6



VDE Cross Slotted screwdriver



Product features

- for cross slotted screws (Phillips)

Dimensions	blade length mm	Part No.	Gram/pcs	Sales unit
PH 1	80	KL110PH1IS	52	12
PH 2	100	KL110PH2IS	80	12
PH 3	150	KL110PH3IS	145	6



VDE Cross Slotted screwdriver



Product features

- for cross slotted screws (Pozidriv)

Dimensions	blade length mm	Part No.	Gram/pcs	Sales unit
PZ 1	80	KL120PZ1IS	49	12
PZ 2	100	KL120PZ2IS	76	12
PZ 3	150	KL120PZ3IS	140	6



VDE Screwdriver



Product features

- for Plus/Minus head type screws

Dimensions	blade length mm	Part No.	Gram/pcs	Sales unit
Z1	80	KL130PM1IS	52	12
Z2	100	KL130PM2IS	80	12



Hexagon head screwdriver



Product features

- for hexagon head screws

Dimensions	for thread	blade length mm	Part No.	Gram/pcs	Sales unit
5,5	M3	125	KL14055IS	73	12
6	M3.5	125	KL14060IS	74	12
7	M4	125	KL14070IS	106	12
8	M5	125	KL14080IS	109	12
10	M6	125	KL140100IS	137	12
13	M8	125	KL140130IS	155	12



Voltage tester




Product features

- comfortable work due to ergonomic handle design
- one pole

Dimensions	blade length mm	Part No.	Gram/pcs
3,0 x 0,8	73	KL19073IS	30



Slotted screwdriver



Product features

- for slotted screws
- bright blade

Dimension mm	blade length mm	Part No.	Gram/pcs	Sales unit
2,5 x 0,4	75	KL1007525	26	12
3,0 x 0,5	80	KL1008030	28	12
3,5 x 0,6	100	KL10010035	32	12
4,0 x 0,8	100	KL10010040	45	12



Workshop screwdriver



Product features

- with hexagonal blade
- for slotted screws

Dimension mm	blade length mm	Part No.	Gram/pcs	Sales unit
5,5 x 1,0	100	KL10510055	74	12
6,5 x 1,2	125	KL10512565	100	12
8,0 x 1,2	150	KL10515080	162	12



Cross slotted screwdriver



Product features

- for cross slotted screws (Pozidriv)

Dimensions	blade length mm	Part No.	Gram/pcs	Sales unit
PZ 1	80	KL120PZ1	51	12
PZ 2	100	KL120PZ2	79	12
PZ 3	150	KL120PZ3	138	6



Cross slotted screwdriver




Product features

- for cross slotted screws (Phillips)

Dimensions	blade length mm	Part No.	Gram/pcs	Sales unit
PH 1	80	KL110PH1	51	12
PH 2	100	KL110PH2	79	12
PH 3	150	KL110PH3	138	6



Torx (TR) screwdriver




Product features

- for torx (TR) screws, tamper resistant

Dimensions	blade length mm	Part No.	Gram/pcs	Sales unit
Tx TR 10	100	KL150TR10	46	12
Tx TR 15	100	KL150TR15	48	12
Tx TR 20	100	KL150TR20	69	12
Tx TR 25	100	KL150TR25	69	12
Tx TR 30	115	KL150TR30	97	6
Tx TR 40	125	KL150TR40	129	6



Screwdriver ball-shaped



Product features

- for hexagon socket head screws

Dimension mm	blade length mm	Part No.	Gram/pcs	Sales unit
3	100	KL160KI3	29	12
4	100	KL160KI4	49	12
5	100	KL160KI5	76	12
6	125	KL160KI6	91	12
8	150	KL160KI8	152	12



Carburetor screwdriver



Product features

- Stubby for slotted screws

Dimensions	blade length mm	Part No.	Gram/pcs	Sales unit
5,5 x 1,0 EI	25	KL1002555	35	12



Carburetor screwdriver



Product features

- Stubby for cross slotted screws (Philips)

Dimensions	blade length mm	Part No.	Gram/pcs	Sales unit
PH 1	25	KL11025PH1	35	12





Bits for slotted screws



Product features

- shank 1/4" DIN3126 E6.3
- for slotted screws
- 2 parts

Dimension mm	blade length mm	Part No.	Gram/pcs	pcs.	Sales unit
0,6x3,5	73	KL2007335	16	2	1
0,8x4,0	73	KL2007340	18	2	1
1,0x5,5	73	KL2007355	26	2	1
1,2x6,5	73	KL2007365	34	2	1



Bits for cross slotted screws PZ



Product features

- shank 1/4" DIN3126 E6.3
- for cross slotted screws (Pozidriv)
- 2 parts

Dimensions	blade length mm	Part No.	Gram/pcs	pcs.	Sales unit
PZ 1	73	KL22073PZ1	22	2	2
PZ 2	73	KL22073PZ2	30	2	2



Bits for cross slotted screws PH



Product features

- shank 1/4" DIN3126 E6.3
- for cross slotted screws (Philips)
- 2 parts

Dimensions	blade length mm	Part No.	Gram/pcs	pcs.	Sales unit
PH 1	73	KL21073PH1	22	2	2
PH 2	73	KL21073PH2	30	2	2



Bits for Torx screws



Product features

- shank 1/4" DIN3126 E6.3
- for torx screws
- 2 parts

Dimensions	blade length mm	Part No.	Gram/pcs	pcs.	Sales unit
TX 10	73	KL25073TX10	22	2	2
TX 15	73	KL25073TX15	22	2	2
TX 20	73	KL25073TX20	25	2	2
TX 25	73	KL25073TX25	25	2	2
TX 27	73	KL25073TX27	25	2	2
TX 30	73	KL25073TX30	30	2	2
TX 40	73	KL25073TX40	40	2	2



Bits for Plus/Minus head type screws



Product features

- shank 1/4" DIN3126 E6.3
- for Plus/Minus head type screws
- 2 parts

Dimensions	blade length mm	Part No.	Gram/pcs	pcs.	Sales unit
Z 1	73	KL23073PM1	20	2	2
Z 2	73	KL23073PM2	30	2	2



Magnetic holder



Product features

- with inside ring and strong magnet
- shank 1/4" DIN3126 E6.3

Dimension mm	Part No.	Gram/pcs	Sales unit
58	KL290	32	1

Mechanical bit holder



Product features

- with quick change chuck
- shank 1/4" DIN3126 E6.3

Dimension mm	Part No.	Gram/pcs	Sales unit
62	KL291	30	1

Adapter 1/4"



Product features

- shank E6.3 and 1/4" socket wrench

Dimension mm	Part No.	Gram/pcs	Sales unit
50	KL295	15	1

Adapter 3/8"




Product features

- shank E6.3 and 3/8" socket wrench

Dimension mm	Part No.	Gram/pcs	Sales unit
50	KL296	22	1



VDE pliers set, 3 parts




Product features

- combination pliers 180mm
- side cutter 160mm
- Telephone pliers 200mm

Part No.	Gram/pcs	pcs.	Sales unit
KL303IS	828	3	1

VDE pliers set, 4 parts



Product features

- combination pliers 180mm
- power side cutter
- Telephone pliers 200mm
- Wire stripper

Part No.	Gram/pcs	pcs.	Sales unit
KL304IS	1093	4	1

Pliers set, 3 parts



Product features

- combination pliers 180mm
- side cutter 200mm
- Channel lock pliers 250mm

Part No.	Gram/pcs	pcs.	Sales unit
KL310	1084	3	1

Pliers set, 3 parts




Product features

- channel lock pliers 180mm
- channel lock pliers 250mm
- fitting pliers 250mm

Part No.	Gram/pcs	pcs.	Sales unit
KL315	1017	3	1

Pliers-screwdriver set, 4 parts




Product features

- CableCutter 160mm
- wire stripper 160mm
- Screwdriver slotted 100x3.5 + Z1

Part No.	Gram/pcs	pcs.	Sales unit
KL305IS	624	4	1



Pliers-screwdriver set, 6 parts



Product features

- Telephone pliers 200mm
- side cutter 160mm
- Screwdriver slotted Philips PH1+ PH2
- screwdriver slotted 75x2.5 + 100x4.0mm

Part No.	Gram/pcs	pcs.	Sales unit
KL306IS	757	6	1



Screwdriver Set, 3 parts




Product features

- screwdriver with a hexagon shaft 100x5.5, 125x6.5 and 150x8.0mm

Part No.	Gram/pcs	pcs.	Sales unit
KL380	425	3	1



Screwdriver Set, 3 parts



Product features

- torx screwdriver with hole (tamper resistant) TR15, TR20 and TR25

Part No.	Gram/pcs	pcs.	Sales unit
KL385	385	3	1



VDE - Screwdriver Set, 3 parts



Product features

- screwdriver Philips PH1 + PH2
- screwdriver for slotted screws 100x3.5mm

Part No.	Gram/pcs	pcs.	Sales unit
KL391IS	390	3	1



VDE - Screwdriver Set, 3 parts




Product features

- screwdriver Pozidriv PZ1 + PZ2
- screwdriver for slotted screws 100x4.0mm

Part No.	Gram/pcs	pcs.	Sales unit
KL392IS	400	3	1




VDE - Screwdriver Set, 3 parts




Product features

- screwdriver Plus/Minus Z1 + Z2
- voltage tester

Part No.	Gram/pcs	pcs.	Sales unit
KL393IS	365	3	1




VDE - Screwdriver Set, 6 parts



Product features

- screwdriver Philips PH1 + PH2
- screwdriver for slotted screws 75x2.5mm / 100x4.0mm / 125x5.5mm
- voltage tester

Part No.	Gram/pcs	pcs.	Sales unit
KL390IS	650	6	1




VDE - Screwdriver Set, 6 parts



Product features

- screwdriver Philips PH1 + PH3
- screwdriver for slotted screws 75x2.5mm / 100x4.0mm / 125x5.5mm
- voltage tester

Part No.	Gram/pcs	pcs.	Sales unit
KL399IS	630	6	1



Bits Set 73mm, 6 parts



Product features

- KL330: 0.5x3/ 0.6x3.5/0.8x4/1.0x5.5/ PH1 / PH2
- KL331: PZ 1 / PZ 2 / PZ 3 / PH 1 / PH 2 / PH 3
- KL335: TX10 / TX15 / TX20 / TX25/ TX30 / TX 40

blade length mm	Part No.	Gram/pcs	pcs.	Sales unit
73	KL330	120	6	1
73	KL331	120	6	1
73	KL335	120	6	1



Bit box Swift, 7 parts



Product features

- KL340: 1.0x5.5 / 1.2x6.5 / PZ1 / PZ2 / PH1 / PH2 magnetic holder
- KL345: TX 10 / 15 / 20 / 25 / 30 / 40 magnetic holder

blade length mm	Part No.	Gram/pcs	pcs.	Sales unit
25	KL340	75	7	1
25	KL345	75	7	1



Klauke E-smart-Box, 12 parts



Product features

- 11 IEC-reversing blades with 2 components grip and GT-11 voltage tester

Part No.	Gram/pcs	pcs.	Sales unit
KL300IS	900	12	1



Socket wrench Bit assortment



Product features

- 16bits
- 1 quick change chuck
- 7 sockets
- Adapter
- extension bars
- handle and ratchet

Part No.	Gram/pcs	pcs.	Sales unit
KL360	1130	28	1



Pocket allen key set, 7 parts



Product features

- SW 2 / SW 2,5 / SW 3 / SW 4 / SW 5 / SW 6 / SW 8

Dimension mm	Part No.	Gram/pcs	pcs.	Sales unit
SW 2 - 8	KL370	171	7	1



Pocket allen key set, 9 parts



Product features

- SW1.5 / SW2 / SW2.5 / SW3 / SW4 / SW5 / SW6 / SW8 / SW10

Dimension mm	Part No.	Gram/pcs	pcs.	Sales unit
SW 1,5- 10	KL375	273	9	1



Torque wrench, 14 parts



Product features

- 14 parts, with handle and torque adjustment
- KL38715: 0.6 - 1.5 Nm
- KL38830: 1.5 - 3.0 Nm

Part No.	Gram/pcs	pcs.	Sales unit
KL38715	1048	14	1
KL38830	1066	14	1





Spirit level



Product features

- torpedo form
- 3way horizontal, vertical and 45° angle

Dimension mm	Part No.	Gram/pcs	Sales unit
200x42x17	KL420200	65	1

Aluminium spirit level



Product features

- aluminium spirit level
- with horizontal and vertical angle

Dimension mm	Part No.	Gram/pcs	Sales unit
400	KL425400	210	1
600	KL425600	305	1

Folding rule



Product features

- folding rules
- white / yellow
- 2m
- 10 parts

Dimension mm	Part No.	Gram/pcs	Sales unit
2000	KL402	126	1

Measuring tape



Product features

- measuring tape 3m with 3 functions
- length
- inside dimension
- circles

Dimension mm	Part No.	Gram/pcs	Sales unit
3000	KL403	124	1

Carpenter's pencil



Product features

- carpenter's pencil
- oval shape
- pointed

Dimension mm	Part No.	Gram/pcs	Sales unit
240	KL449	10	1

Permanent marker pen



Product features

- Multimark permanent
- 0.6mm fine tip
- black permanent ink

Dimension mm	Part No.	Gram/pcs	Sales unit
0,6	KL440F	10	1

Chalk



Product features

- chalk for chalk line red or blue
- 100g bottle

Part No.	Gram/pcs	Sales unit
KL451ROT	100	1
KL451BLAU	100	1

Chalk line




Product features

- chalk line
- incl. 60g blue chalk

Part No.	Gram/pcs	Sales unit
KL450	380	1



Spanners for co cabinets



Product features

- inner square 6mm
- inner square 7-8mm
- triangular 7-8mm
- double pin type keys 3-5mm
- with chain and adapter

Part No.	Gram/pcs	Sales unit
KL500	75	10



Multi key



Product features

- inner square 5mm
- inner square 7-8mm
- triangular 8-9mm
- 4-10mm square
- with chain and adapter

Part No.	Gram/pcs	Sales unit
KL505	95	10



Engineers hammer



Product features

- DIN 1041
- head steel forged
- ground finish
- with protective Nylon shroud

Weight g	Part No.	Gram/pcs	Sales unit
300	KL580300	370	10
500	KL580500	610	10

Lump hammer



Product features

- DIN 6475
- head steel forged
- ground finish
- with protective Nylon shroud

Weight g	Part No.	Gram/pcs	Sales unit
1000	KL5821000	1150	10
1250	KL5821250	1400	10

Jointing chisel



Product features

- chrome-vanadium steel, air-hardened
- safety heads, refined

Dimension mm	blade length mm	Part No.	Gram/pcs	Sales unit
230	26x7	KL584230	250	10

Electricians chisel



Product features

- chrome-vanadium steel, air-hardened
- safety heads, refined

Dimension mm	blade length mm	Part No.	Gram/pcs	Sales unit
200	8	KL585200	90	10
250	8	KL585250	120	10

Safety handle



Product features

- hand guard for jointing chisel

blade length mm	Part No.	Gram/pcs	Sales unit
26x7	KL586	110	5

Cable knife



Product features

- 1 part, fold away with synthetic handle

Dimension mm	Part No.	Gram/pcs	Sales unit
80	KL540	115	6

Hand saw



Product features

- with fixed wooden handle

Dimension mm	Part No.	Gram/pcs	Sales unit
280	KL559	95	6

Universal saw



Product features

- with composite handle
- metal saw blades for universal saw

Dimension mm	Part No.	Gram/pcs	Sales unit
280	KL550	170	6
150	KL550ES	2	12

Combination scissors



Product features

- e.g. suitable for round and flat material made out of Cu, aluminium, plastic, paper, board, leather
- cutting edges serrated
- safety lock

Dimension mm	Part No.	Gram/pcs	Sales unit
190	KL545	100	6

Universal knife



Product features

- with safety sheath
- with adjustable and exchangeable cutter
- KL542: knife
- KL542ES: spare blades

Dimension mm	Part No.	Gram/pcs	Sales unit
	KL542	305	6
60x19x0,5	KL542ES	8	10

Cutter



Product features

- cutter 9mm blade
- KL544: knife
- KL544ES: spare blades

Dimension mm	Part No.	Gram/pcs	Sales unit
9	KL544	45	30
	KL544ES	5	6



NH safety grip with sleeve



Product features

- according to VDE 0680/4
- protection against sliding with sleeve
- for NH fuses size 00-3
- made of impregnate leather

Part No.	Gram/pcs	Sales unit
KL600	470	1



Electricians Hard Hat, yellow



Product features

- according to DIN EN 397
- 440V AC
- head size adjustable

Part No.	Gram/pcs	Sales unit
KL602GELB	370	1

Electricians face protection shield



Product features

- marking 1000V
- according to VDE

Part No.	Gram/pcs	Sales unit
KL603	195	1



Insulating floor mat



Product features

- safety mat for works at high voltage areas
- insulating floor mat, safety mat for works at high voltage parts up to 1000V
- tested according DIN 0303 part 21
- sure-footed
- non-slip

Dimension mm	Part No.	Gram/pcs	Sales unit
1000x1000x4	KL620S1000	5300	1



Rubber Cover



Product features

- tested according DIN VDE 0680, part 1
- insulating cover
- upper and lower side flat
- dielectric strength
- Test voltage: 5kV/1 min.
- marking: 1000V

Dimension mm	Part No.	Gram/pcs	Sales unit
500x500x1,6	KL625A500	440	1
1000x1000x1,6	KL625A1000	1900	1



Plastic clamps



Product features

- to fix rubber cover

Dimension mm	Part No.	Gram/pcs	Sales unit
150	KL628	70	1



Protective Gloves



Product features

- according to DIN EN 60903
- for working in a voltage range up to 1000V

Dimensions	Part No.	Gram/pcs	Sales unit
Gr. 09	KL60509	250	1
Gr. 10	KL60510	250	1



Cotton gloves




Product features

- cotton gloves for protective gloves

Part No.	Gram/pcs	Sales unit
KL605U	50	1

Cable knife, straight




Product features

- with strong, straight blade and blade protector

Dimension mm	blade length mm	Part No.	Gram/pcs	Sales unit
200	50	KL640GK	105	1



Cable knife, hooked blade



Product features

- with hook blade, specially for slitting of damproom and blade protector

Dimension mm	blade length mm	Part No.	Gram/pcs	Sales unit
190	40	KL642HK	100	1



Tweezers



Product features

- straight and pointed
- with 2 layers of protective isolation
- protection against sliding

Dimension mm	Part No.	Gram/pcs	Sales unit
130	KL690130	30	6



Cleaning brush



Product features

- completely plastic version

Part No.	Gram/pcs	Sales unit
KL698	75	1





Cable knife without blade



Product features

- accurate, fast and safe stripping of all common round cables of 4 - 28mm Ø
- no damage of the inner conductors due to infinitely variable adjustment of the cutting depth
- every cable stripper contains a spare swivel-blade inside the handle

Dimension mm	Part No.	Gram/pcs	Sales unit
4 - 16	KL740416	70	1
8 - 28	KL740828	70	1

Cable knife, with straight blade



Product features

- accurate, fast and safe stripping of all common round cables of 4 - 28mm Ø
- removeable reducing adapter made of highly abrasion-resistant plastic (POM)
- no damage of the inner conductors due to infinitely variable adjustment of the cutting depth
- every cable stripper contains a spare swivel-blade inside the handle

Dimension mm	Part No.	Gram/pcs	Sales unit
4 - 28	KL745GK	80	1

Cable knife, with hook blade



Product features

- accurate, fast and safe stripping of all common round cables of 4 - 28mm Ø
- removeable reducing adapter made of highly abrasion-resistant plastic (POM)
- no damage of the inner conductors due to infinitely variable adjustment of the cutting depth
- every cable stripper contains a spare swivel-blade inside the handle

Dimension mm	Part No.	Gram/pcs	Sales unit
4 - 28	KL745HK	80	1
	KL 749 ES	2	10

Cable stripper



Product features

- for round and continental type cables of 8 - 13mm Ø (e.g. NYM 3x1.5 mm² to 5x2.5 mm²)
- flush stripping even in hard-to-reach areas, e.g. ceiling and wall areas, junction and distribution boxes, switch cabinets, etc.
- the ergonomic tool design provides a sure grip and safe handling
- Needs no adjustment of the cutting depth

Dimension mm	Part No.	Gram/pcs	Sales unit
8 - 13	KL710	43	1

Wire stripper for coaxial cables



Product features

- two- or three-level stripping of all common coaxial cables (e.g. antenna and transmission cables) of 4.8 to 7.5mm outer dia.
- also strips flexible cables such as 3x0.75 mm², 10 mm² and 16 mm²
- needs no adjustment of the cutting depth

Dimension mm	Part No.	Gram/pcs	Sales unit
4,8-7,5	KL720	28	1

Multi-Stripper



Product features

- universal wire stripper for
- circular stripping
- longitudinal stripping
- stripping
- cutting

Dimension mm	Wire cross section mm ²	Part No.	Gram/pcs	Sales unit
8 - 13	0,5-6	KL730	77	1

Wire stripping pliers



Product features

- for all common stranded and solid conductors of 0.2 to 6.0mm²
- adjustable length stop of 5 to 12mm

Dimension mm	Wire cross section mm ²	Part No.	Gram/pcs	Sales unit
180	0,2 - 6	KL760180	130	6

Wire stripping pliers



Product features

- automatic wire stripper for all common round and flat cables
- a precise adjustment (5-fold) on various cable types and diameters is possible
- optical length scale 8-24mm, 5/16 - 3/4 inch
- built-in side cutter up to max. 3mm dia.

Dimension mm	Wire cross section mm ²	Part No.	Gram/pcs	Sales unit
180	0,5-16	KL765FR215	205	1

Wire stripping pliers



Product features

- fully insulated automatic wire stripper for all common stranded and solid conductors of 0.2 to 6.0 mm²
- adjustable length stop of 5 to 12mm
- approved according to VDE Norm for works on live wires up to 1000V

Dimension mm	Wire cross section mm ²	Part No.	Gram/pcs	Sales unit
215	0,2 - 6	KL760180IS	127	6





21 pcs. Assorted tool kit



Product features

- tool case
- black, content 21 partially VDE certificated tools
DIN EN 60900

Dimension mm	Part No.	Gram/pcs	Sales unit
485x405x236	KL800B21	7800	1

Part No.	Description
KL070250G	Waterpump pliers
KL020180IS	Combination pliers
KL040160IS	Side cutter
KL050205IS	Telephone pliers
KL060160	Wire stripper
KL10510055	Workshop screwdriver
KL10512565	Workshop screwdriver
KL1007525IS	VDE Torx Screwdriver
KL10010040IS	VDE Slotted Screwdriver
KL10012555IS	VDE Slotted Screwdriver
KL110PH1IS	VDE Cross Slotted screwdriver
KL110PH2IS	VDE Cross Slotted screwdriver
KL19073IS	Voltage tester
KL580500	Engineers hammer
KL584230	Jointing chisel
KL585250	Electricians chisel
KL559	Hand saw
KL540	Cable knife
KL402	Folding rule
KL449	Carpenter's pencil
KL745GK	Cable knife, with straight blade
KL800L	Hard shell tool case, small

20 pcs. Assorted tool kit



Product features

- tool case
- black, content 20 partially VDE certificated tools
DIN EN 60900

Dimension mm	Part No.	Gram/pcs	Sales unit
505x410x200	KL810B20	8400	1

Part No.	Description
KL072250G	Waterpump pliers
KL020180IS	Combination pliers
KL045200IS	Power side cutter
KL050205IS	Telephone pliers
KL1007525IS	VDE Torx Screwdriver
KL10010040IS	VDE Slotted Screwdriver
KL10012555IS	VDE Slotted Screwdriver
KL110PH1IS	VDE Cross Slotted screwdriver
KL110PH2IS	VDE Cross Slotted screwdriver
KL120PZ1IS	VDE Cross Slotted screwdriver
KL120PZ2IS	VDE Cross Slotted screwdriver
KL19073IS	Voltage tester
KL403	Measuring tape
KL580500	Engineers hammer
KL550	Universal saw
KL544	Cutter
KL449	Carpenter's pencil
KL745GK	Cable knife, with straight blade
KL760180IS	Wire stripping pliers
KL810L	Hard shell tool case, med

28 pcs. Assorted tool kit



Product features

- tool case
- black, content 28 partially VDE certificated tools
DIN EN 60900

Dimension mm	Part No.	Gram/pcs	Sales unit
515x420x230	KL820B28	9900	1

Part No.	Description
KL072250G	Waterpump pliers
KL020180IS	Combination pliers
KL044200IS	Power side cutter
KL050205IS	Telephone pliers
KL010160IS	Cable cutter
KL040128EL	Electronic side cutter
KL10510055	Workshop screwdriver
KL10512565	Workshop screwdriver
KL1007525IS	VDE Torx Screwdriver
KL10010035IS	VDE Slotted Screwdriver
KL10010040IS	VDE Slotted Screwdriver
KL10012555IS	VDE Slotted Screwdriver
KL110PH1IS	VDE Cross Slotted screwdriver
KL110PH2IS	VDE Cross Slotted screwdriver
KL120PZ1IS	VDE Cross Slotted screwdriver
KL120PZ2IS	VDE Cross Slotted screwdriver
KL19073IS	Voltage tester
KL375	Pocket allen key set, 9 parts
KL500	Spanners for co cabinets
KL403	Measuring tape
KL580500	Engineers hammer
KL550	Universal saw
KL544	Cutter
KL540	Cable knife
KL449	Carpenter's pencil
KL420200	Spirit level
KL745GK	Cable knife, with straight blade
KL760180IS	Wire stripping pliers
KL820L	Hard shell tool case, large

26 pcs. VDE Assorted tool kit



Product features

- tool case
- red, content 26 VDE certificated safety tools
DIN EN 60900

Dimension mm	Part No.	Gram/pcs	Sales unit
515x420x230	KL880B26IS	9800	1

Part No.	Description
KL070250IS	Waterpump pliers
KL020180IS	Combination pliers
KL040160IS	Side cutter
KL044200IS	Power side cutter
KL050205IS	Telephone pliers
KL060160	Wire stripper
KL010160IS	Cable cutter
KL1007525IS	VDE Torx Screwdriver
KL10010035IS	VDE Slotted Screwdriver
KL10010040IS	VDE Slotted Screwdriver
KL10012555IS	VDE Slotted Screwdriver
KL110PH1IS	VDE Cross Slotted screwdriver
KL110PH2IS	VDE Cross Slotted screwdriver
KL120PZ1IS	VDE Cross Slotted screwdriver
KL120PZ2IS	VDE Cross Slotted screwdriver
KL19073IS	Voltage tester
KL640GK	Cable knife, straight
KL625A1000	Rubber Cover
KL628	Plastic clamps
KL60510	Protective Gloves
KL605U	Cotton gloves
KL690130	Tweezers
KL698	Cleaning brush
KL420200	Spirit level
KL760180IS	Wire stripping pliers
KL880L	Hard shell tool case, large

Hard shell tool case, small



Product features

- tool case
- black empty

Dimension mm	Part No.	Gram/pcs	Sales unit
485x405x235	KL800L	3750	1

Hard shell tool case, med



Product features

- tool case
- black empty

Dimension mm	Part No.	Gram/pcs	Sales unit
505x410x200	KL810L	4100	1

Hard shell tool case, large



Product features

- tool case
- black empty

Dimension mm	Part No.	Gram/pcs	Sales unit
515x420x230	KL820L	4400	1

Hard shell tool case, large




Product features

- tool case
- red empty

Dimension mm	Part No.	Gram/pcs	Sales unit
515x420x230	KL880L	4400	1

Notes



Strong brands for your success:



KLAUKE

Compression Connectors
Crimping and Cutting Tools



GREENLEE

Holemaking Tools
Cable Installation Equipment
Bus Bar Processing Tools
Test Instruments



TEMPO

Tools and Test Equipment
for Networks and
Telecommunication

Gustav Klauke GmbH
Auf dem Knapp 46
D-42855 Remscheid

Phone: +49 (0) 2191 / 907 - 0
Fax: +49 (0) 2191 / 907 - 141

E-Mail: info@klauke.textron.com
Internet: www.klauke.textron.com